



CODEMARK™

CERTIFICATE OF CONFORMITY

This is to certify that

Plasmite™ - Reticulation Anti-termite Application System



Product Description

PLASMITE™ RETICULATION ANTI-TERMITE APPLICATION SYSTEM

Product Purpose or Use

A reticulation system for use with a concrete slab-on-ground in the protection of the perimeter and penetrations by the delivery of a termiticide

Certificate Holder

Creepy Crawley Pest Control Pty Ltd

ABN 93072918435

Address: 16 Freighter Ave Toowoomba
QLD

Manufactured at: 16 Freighter Ave
Toowoomba QLD

CodeMark Certification Body

SAI Global Certification Services Pty Limited

(ACN 108 716 669) Trading as "SAI Global"
JAS-ANZ Accreditation No. Z1440295AS
Address: 286 Sussex Street, Sydney, NSW
2000

Website: www.saiglobal.com

Complies with the Building Code of Australia (BCA):

1. Volume One: BP1.1 and BP 1.2
2. Volume Two: P2.1 and QLD P2.1.1

Subject to the following conditions and limitations:

1. The Plasmite Reticulation Anti-termite Application System can be used to protect against the species *Mastotermes darwiniensis* provided that the concentration of Plasmite termiticide and insecticide is increased in accordance with labeled concentrations.
2. The Plasmite Reticulation system is installed in accordance with the Plasmite Reticulation Anti-termite Application System Installation & Injection Procedure Manual Version 7 (Date: April 2009).
3. Concrete slabs on ground are to be designed and constructed in accordance with AS2870-1996
4. The sand/soil used for the Plasmite Reticulation Anti-termite Application System shall be suitably absorbent and have a grading within the following specification 95 – 100% passing 6.7mm and 0 – 10% passing 75um. The sieve sizes comply with AS 1152 – 1993 'Specification for test sieves'. A minimum depth of 50mm of this sand/soil is required as part of the barrier system.
5. In Queensland the external reticulation system is to be protected by the installation of advisory signs fixed no greater than 10.0m maximum apart on each elevation in lieu of a 300mm wide by 50mm thick concrete cover strip.
6. This certification covers the Plasmite Reticulation system only when used with the following chemicals:
 - Plasmite termiticide and insecticide, AVPMA product number 58893.
7. The Plasmite Reticulation system is installed by licensed installers trained and approved by Creepy Crawley Pest Control Pty Ltd.
8. Inspections are undertaken annually in accordance with the Plasmite Reticulation Anti-termite Application System Installation & Injection Procedure Manual to determine whether bridging or breaching of the barrier has occurred.

Notes:

- (i) As a guide the termite species *Mastotermes darwiniensis* are believed to be located north of the Tropic of Capricorn.
- (ii) The installation of any termite barrier system cannot guarantee a 100% protection against infestation by subterranean termites. Thus the installation of a physical barrier does not negate the need for regular competent inspections. Any additions, alterations or earth works, including gardening adjacent to the building, may render the barrier ineffective. Such activity should be referred to a licensed installation contractor for appropriate advice and treatment.
- (iii) Any additional treatment should be done in accordance with the relevant State or Territory regulations.

Alex Ezrakhovich General Manager Certification
For and on behalf of SAI Global

	2009-01-19	2012-01-18	SAIG-09-CM20004
Reissue	Original	Date of expiry	Certificate Number
Date	Date of Issue		



- This Certificate of Conformity is issued under arrangement with JAS-ANZ. The ABCB does not in any way warrant or represent that the Product the subject of this Certificate of Conformity conforms with the BCA, nor accepts any liability arising out of the use of the Product.
- It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the ABCB website, www.abcb.gov.au.